

Form PTO-1449

Applicant: Kevin E. Collier

Serial No.: 10/821,562

Filing Date: April 9, 2004


Inventor: CENTRIFUGAL SEPARATORS

Sheet 1 of 2

Confirmation No.: 1275

Att'y Docket No.: 14794.3.1.1

Group: 1723

SUPPLEMENTAL INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANTU.S. Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Issue Date</u>	<u>Name</u>
------------------------------	----------------------------	-----------------------	-------------

Foreign Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Publication Date</u>	<u>Country or Patent Office</u>	<u>Translation</u>
<u>DR</u> 1	1 491 036	11/09/1977	Great Britain	N/A
<u>DR</u> 2	2 185 425 A	07/22/1987	United Kingdom	N/A
<u>DR</u> 3	484895	09/25/1975	Russia	No

Other Documents

(including author, title, pertinent pages, etc.)

Examiner
Initial*

Examiner:

David A. Ruffalo

Date Considered:

9/2005

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant: Kevin E. Collier
Serial No.: 10/821,562
Filing Date: April 9, 2004
For: CENTRIFUGAL SEPARATORS

Sheet 2 of 2

Confirmation No.: 1275
Att'y Docket No.: 14794.3.1.1
Group: 1723

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W:\147943.1\IDFW0000015162V001.doc

Examiner:

S. de la Riva

Date Considered:

9/2005

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant: Kevin E. Collier
 Serial No.: 10/821,562
 Filing Date: April 9, 2004
 For: CENTRIFUGAL SEPARATORS



Sheet 1 of 6
 Confirmation No.: 1275
 Att'y Docket No.: 14794.3.1.1
 Group: 1723

INFORMATION DISCLOSURE CITATIONS MADE BY APPLICANT

U.S. Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Issue Date</u>	<u>Name</u>
<u>DR</u>	1 RE 34,321	07/20/1993	Campbell
	2 315,876	04/14/1885	Zimmer
	3 382,966	05/15/1888	Freitag
	4 632,616	09/05/1899	Alfven
	5 635,488	10/24/1899	Kneeland
	6 690,883	07/07/1902	Sharples
	7 699,217	05/06/1902	Mccomack
	8 1,664,769	04/03/1928	Chance
	9 1,669,379	01/15/1929	Sperry
	10 1,782,974	11/25/1930	Rozieres
	11 1,811,157	06/23/1931	Schwerdtfeger
	12 1,870,113	08/02/1932	Hawkins et al.
	13 2,010,405	08/06/1935	MacIsaac
	14 2,067,590	01/12/1937	Ayres
	15 2,073,216	03/09/1937	Mann
	16 2,077,813	04/20/1937	Strezynski
	17 2,126,864	08/16/1938	Bath
	18 2,145,541	01/31/1939	Forsberg
	19 2,269,716	01/13/1942	Greg
	20 2,337,291	12/21/1943	Adams et al.
	21 2,422,646	06/17/1947	Bartholomew
<u>DR</u>	22 2,594,445	04/29/1952	Keith, Jr.

Examiner:

D. A. Reif

Date Considered:

9/2005

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Kevin E. Collier
Serial No.: 10/821,562
Filing Date: April 9, 2004
For: CENTRIFUGAL SEPARATORS

Confirmation No.: 1275
Att'y Docket No.: 14794.3.1.1
Group: 1723

DR 23	2,719,668	10/04/1955	Bergner
24	2,733,855	02/07/1956	McCoy
25	2,870,912	01/27/1959	Mathieu
26	3,059,282	10/23/1962	Smith
27	3,081,027	03/12/1963	Coulson
28	3,168,474	02/1965	Stallman et al.
29	3,201,036	08/17/1965	Halbach et al.
30	3,288,360	11/29/1966	Babelay et al.
31	3,307,780	03/07/1967	Kompert
32	3,341,093	09/12/1967	Putterlik
33	3,408,000	10/29/1968	Nilson
34	3,437,209	04/08/1969	Evans
35	3,460,751	08/12/1969	Hemfort, Sr.
36	3,494,545	02/10/1970	Nilson
37	3,535,158	10/20/1970	McBride et al.
38	3,623,658	11/30/1971	Garbaty
39	3,642,196	02/15/1972	Nilsson
40	3,647,135	03/07/1972	Mercier
41	3,655,058	04/11/1972	Novak
42	3,702,704	11/14/1972	Bloch
43	3,703,984	11/28/1972	Pruessner
44	3,730,423	05/01/1973	Coulson
45	3,750,940	08/07/1973	Nilsson
46	3,752,389	08/14/1973	Nilsson
47	3,774,840	11/27/1973	Boatright
48	3,825,177	07/23/1974	Kohlstett
DR 49	3,847,327	11/12/1974	Erikson et al.

Examiner:

Dev A. Perkins

Date Considered:

9/2005

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Kevin E. Collier

Serial No.: 10/821,562

Filing Date: April 9, 2004

For: CENTRIFUGAL SEPARATORS

Confirmation No.: 1275

Att'y Docket No.: 14794.3.1.1

Group: 1723

DR 50	3,883,114	05/13/1975	Harris et al.
51	3,938,734	02/17/1976	Wilke
52	3,991,935	11/16/1976	Henning
53	4,015,773	04/05/1977	Thylefors
54	4,098,696	07/04/1978	Humphrey et al.
55	4,151,950	05/01/1979	Gunnewig
56	4,175,040	11/20/1979	Sammons et al.
57	4,190,530	02/26/1980	Forsythe, Jr. et al.
58	4,199,459	04/22/1980	Filipowicz et al.
59	4,295,600	10/20/1982	Saget
60	4,308,136	12/29/1981	Wame, Jr.
61	4,362,620	12/07/1982	High
62	4,406,791	09/27/1983	Khapaev
63	4,425,240	01/10/1984	Johnson
64	4,431,540	02/1984	Budzich
65	4,477,348	10/16/1984	Ayers et al.
66	4,525,155	06/25/1985	Nilsson, deceased
67	4,556,528	12/03/1985	Gersch et al.
68	4,626,237	12/02/1986	Galloway, Jr.
69	4,634,416	01/1987	Ehnstrom
70	4,702,837	10/27/1987	Lecoffre et al.
71	4,758,354	07/19/1988	O'Mara et al.
72	4,776,833	10/11/1988	Knelson
73	4,810,240	03/07/1989	Zuccato
74	4,820,256	04/1989	Nordstrom
75	4,846,780	07/11/1989	Galloway et al.
DR 76	4,855,050	08/08/1989	Senyard, Sr. et al.

Examiner:

Date Considered:

*J. A. Ruffalo**9/2005*

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Kevin E. Collier

Serial No.: 10/821,562

Filing Date: April 9, 2004

For: CENTRIFUGAL SEPARATORS

Confirmation No.: 1275

Att'y Docket No.: 14794.3.1.1

Group: 1723

DR 77	4,857,040	08/15/1989	Kashihara et al.
78	4,871,458	10/03/1989	Purvey
79	4,936,821	06/26/1990	Zuccato
80	4,959,158	09/25/1990	Melkrantz
81	4,963,272	10/16/1990	Garrett
82	5,037,558	08/16/1991	Kalnins
83	5,045,046	09/03/1991	Bond
84	5,062,955	11/05/1991	Sciamanna
85	5,068,035	11/28/1991	Mohr
86	5,114,568	05/19/1992	Brinsmead et al.
87	5,116,488	05/26/1992	Torregrossa
88	5,133,861	07/28/1992	Grieve
89	5,149,432	09/22/1992	Lavin
90	5,156,745	10/20/1992	Cairo, Jr. et al.
91	5,180,493	01/19/1993	Grieve
92	5,200,083	04/16/1993	Kaylor
93	5,230,797	07/27/1993	Knelson
94	5,246,592	09/21/1993	Schweizer et al.
95	5,279,637	01/18/1994	Lynam et al.
96	5,354,256	10/11/1994	Knelson
97	5,387,342	02/07/1995	Rogers et al.
98	5,464,536	11/07/1995	Rogers
99	5,466,385	11/14/1995	Rogers et al.
100	5,582,724	12/10/1996	Rogers et al.
DR 101	5,853,266	12/19/1998	Parkinson et al.

Examiner:

Date Considered:

*Doug A. Riefers**9/2005*

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449

Applicant: Kevin E. Collier
Serial No.: 10/821,562
Filing Date: April 9, 2004
For: CENTRIFUGAL SEPARATORS

Sheet 5 of 6
Confirmation No.: 1275
Att'y Docket No.: 14794.3.1.1
Group: 1723

Foreign Patent Documents

<u>Examiner Initial*</u>	<u>Document Number</u>	<u>Publication Date</u>	<u>Country or Patent Office</u>	<u>Translation</u>
<u>DL</u> 101	672,184	12/24/1929	France	No
<u>DL</u> 102	826,502	04/01/1938	France	No
<u>DL</u> 103	40702	09/03/1887	Germany	No
<u>DL</u> 104	321 855	06/15/1920	Germany	No
<u>DL</u> 105	610 608	03/13/1935	Germany	No
<u>DL</u> 106	723 672	08/08/1942	Germany	No
<u>DL</u> 107	1 113 184	08/24/1961	Germany	No
<u>DL</u> 108	1 432 891	09/04/1969	Germany	No
<u>DL</u> 109	23 36 564	04/01/1975	Germany	No
<u>DL</u> 110	32 03 185 A1	08/11/1983	Germany	No
<u>DL</u> 111	34 08 789 A1	09/12/1985	Germany	No
<u>DL</u> 112	WO 93/11877	06/24/1993	PCT	N/A
<u>DL</u> 113	66 414	05/23/1967	Poland	No
<u>DL</u> 114	129 042	12/23/1985	Poland	No
<u>DL</u> 115	957929	02/06/1981	Russia	No
<u>DL</u> 116	260,071	08/15/1926	United Kingdom	N/A
<u>DL</u> 117	2 226 271 A	06/27/1990	United Kingdom	N/A

Examiner:

Steven A. Penfold

Date Considered:

9/2005

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicant: Kevin E. Collier
Serial No.: 10/821,562
Filing Date: April 9, 2004
For: CENTRIFUGAL SEPARATORS

Confirmation No.: 1275
Att'y Docket No.: 14794.3.1.1
Group: 1723

Other Documents

(including author, title, pertinent pages, etc.)

Examiner

Initial*

- DL 118 Technology in Perspective, *Giving Ear to Improve Centrifuge Performance*, 1990.
- DL 119 Brochure on ALFAX Self-Cleaning Centrifugal Separators with Controlled Partial Discharge – WHPX Series, No. PD A0717E5, ALFA-LAVAZ, 1990.
- DL 120 Brochure on ALFA-LAVAL Separation, No. PD 41075E, 1990.
- DL 121 Tim Cornitius, *Advances in Water Treating Solving Production Problems*, Offshore, March 1988, pp. 27-29.
- DL 122 *Multiphase Boosting and Metering*, The Products of Today for Tomorrow, Framo Engineering AS, Norway, 1992.

References Cited by Applicants

While the filing of Information Disclosure Statements is voluntary, the procedure is governed by the guidelines of Section 609 of the Manual of Patent Examining Procedure and 37 C.F.R. §§ 1.97 and 1.98. To be considered a proper Information Disclosure Statement, Form PTO-1449 shall be accompanied by a copy of each listed patent or publication or other item of information and a translation of the pertinent portions of foreign documents (if an existing translation is readily available to the applicant), an explanation of relevance of each reference not in the English language, and should be submitted in a timely manner as set out in MPEP Sec. 609.

Examiners will consider all citations submitted in conformance with 37 C.F.R. § 1.98 and MPEP Sec. 609 and place their initials adjacent the citations in the spaces provided on this form. Examiners will also initial citations not in conformance with the guidelines which may have been considered. A reference may be considered by the Examiner for any reason whether or not the citation is in full conformance with the guidelines. A line will be drawn through a citation if it is not in conformance with the guidelines AND has not been considered. A copy of the submitted form, as reviewed by the Examiner, will be returned to the applicant with the next communication. The original of the form will be entered into the application file.

Each citation initialed by the Examiner will be printed on the issued patent in the same manner as references cited by the Examiner on Form PTO-892.

The reference designations "A1," "A2," etc. (referring to Applicant's reference 1, Applicant's reference 2, etc.) will be used by the Examiner in the same manner as Examiner's reference designations "A," "B," "C," etc. on Office Action Form PTO-1142.

W:\147943.1\IDFW0000010876V001.doc

Examiner:

John R. [Signature]

Date Considered:

9/2005

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.